



राष्ट्रीय प्रौद्योगिकी संस्थान हमीरपुर

हमीरपुर (हि.प्र.) - 177 005 (भारत)

[भारत सरकार शिक्षा मंत्रालय के तहत एक राष्ट्रीय महत्व का संस्थान]

NATIONAL INSTITUTE OF TECHNOLOGY HAMIRPUR

HAMIRPUR (H.P.) - 177 005 (INDIA)

[An Institute of National Importance under Ministry of Education (Shiksha Mantralaya)]

{OFFICE OF CONSTRUCTION CELL}

SHORT TERM NOTICE INVITING QUOTATION

Sealed quotations are hereby invited by the undersigned on behalf of the Director, NIT Hamirpur from the various Contractors/firms for Renovation of Newly Allotted Canteen near SBI ATM Ground Floor & First Floor at NIT Hamirpur . The quotation must reach in the office of the undersigned on or before **20/07/2023** up to **11.00 A.M.** which shall be opened on the same day at **11.30 A.M.** in the presence of intending quotationers or their authorized representative who may be present themselves.

| Sr. No. | Name of work:- Renovation of Newly Allotted Canteen near SBI ATM Ground Floor & First Floor at NIT Hamirpur | Qty. | Unit | Rate (In Rs.) | Amount (In Rs.) |
|---------|--|-------|------|---------------|-----------------|
| | Estimated Cost:- Rs. 1,87,874 | | | | |
| 1 | Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge | | | | |
| 1.01 | Demolishing of RCC slab and aluminum frames. | 3.00 | Cum | | |
| 2 | Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 meters lead : | | | | |
| 2.01 | Of area 3 sq. meters and below | 3.00 | Each | | |
| 3 | Providing and laying Vitriified tiles in floor in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS:15622, of approved brand & manufacturer, in all colours and shade, laid on 20 mm thick cement mortar 1:4 (1 cement: 4 coarse sand) jointing with grey cement slurry @3.3 kg/sqm including grouting the joints with white cement and matching pigments etc. The tiles must be cut with the zero chipping diamond cutter only . Laying of tiles will be done with the notch trowel, plier, wedge, clips of required thickness, leveling system and rubber mallet for placing the tiles gently and easily. | | | | |
| 3.01 | Glazed Vitriified tiles Matt/Antiskid finish of size 300x300mm or 600x600mm | 72.05 | Sqm | | |
| 4 | Providing and fixing P.V.C. waste pipe for sink wash basin including P.V.C. waste fittings complete. | | | | |
| 4.01 | 32 mm dia | 2.00 | Each | | |
| 5 | Providing and Fixing Angle Cock of Nominal Dia 15mm with all Fitting and Accessories including entire carriage of material up to all leads lifts etc. | 2.00 | Each | | |
| 6 | Providing and fixing G.I. Pipes complete with G.I. fittings and clamps, i/c making good the walls etc. concealed pipe, including painting with anticorrosive bitumastic paint, cutting chases and making good the wall : | | | | |

Signature

Signature
12/7/23

| | | | | | |
|-------|---|-------|------|--|--|
| 6.01 | 15 mm dia nominal bore | 40.00 | Rmt. | | |
| 7 | Providing and fixing on wall face unplasticised Rigid PVC water pipes 150mm of 4Kg Pressure conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, including all fittings, Trap and accessories i/c entire carriage of material up to all leads lifts heights etc. | | | | |
| 7.01 | 150 mm nominal dia(6 Meter Length Each) | 3.00 | Each | | |
| 8 | Repairs to plaster of thickness 12 mm to 20 mm in patches of area 2.5 sq. meters and under, including cutting the patch in proper shape, raking out joints and preparing and plastering the surface of the walls complete, including disposal of rubbish to the dumping ground, all complete as per direction of Engineer-in-Charge. | | | | |
| 8.01 | With cement mortar 1:4 (1 cement : 4 fine sand) | 5.00 | Sqm | | |
| 9 | Renewing glass panes, with putty and nails wherever necessary including racking out the old putty. | | | | |
| 9.01 | Float glass panes of nominal thickness 4 mm (weight not less than 10kg/sqm). | 5.00 | Sqm | | |
| 10 | Providing and fixing Stainless Steel A ISI 304 (18/8) kitchen sink as per IS:13983 with C.I. brackets and stainless steel plug 40 mm, including painting of fittings and brackets, cutting and making good the walls wherever required. | | | | |
| 10.01 | Kitchen sink without drain board | | | | |
| 10.02 | 610x510 mm bowl depth 200 mm | 2.00 | Each | | |
| 11 | Providing and Fixing Long Nose Tap of Parryware/Cera/Esco Make or its equivalent of Nominal Dia 15mm with all Fitting and Accessories including entire carriage of material up to all leads lifts etc. | 2.00 | Each | | |
| 12 | Providing and fixing wire gauge shutters using galvanized M.S. wire gauge of average width of aperture 1.4 mm in both directions with wire of dia 0.63 mm, for doors, windows and clerestory windows with hinges and necessary screws. | | | | |
| 12.01 | 35 mm thick shutters | | | | |
| 12.02 | Second class teak wood | 2.40 | Sqm | | |
| 13 | Providing and fixing panelled or panelled and glazed shutters for doors, windows and clerestory windows, fixing with butt hinges of required size with necessary screws, excluding paneling which will be paid for separately, all complete as per direction of Engineer-in-charge. (Note:- Butt hinges and necessary screws shall be paid separately | | | | |

Sanjay

R Singh
12/7/23

| | | | | | |
|-------|--|------|-----|--|--|
| 13.01 | 35 mm thick shutters | | | | |
| 13.02 | Second class teak wood | 2.40 | Sqm | | |
| 14 | Cleaning of Old Sewerage Line and Sewerage Chamber including dispose off waste material and any other work in Sewerage line and chambers as per direction by Engineer-in charge. | | LS | | |
| | Total:- | | | | |

TERMS AND CONDITIONS:-

1. **Postal Instruction:** Quotations addressed to the undersigned may be sent on Letter Head Pad of the firm as per schedule notified in quotations in sealed envelopes super-scribing the items of the offer and the date of opening. Offers/quotations received through electronic mail or fax will not be considered.
2. **Validity:** Minimum validity of the quotation will be 03 months from the date of opening of the quotation.
3. **Price/Rate: The rates must be quoted in Indian rupees & inclusive of GST and all other charges.**
4. **GST:** All the firms may invariably mention their GST numbers on quotation/tender failing which quotations may not be considered valid. Further, this Institution does not issue any C/D Concessional form, so the GST applicable as per actual rates must be mentioned in the offer. In case GST is not mentioned, the rates shall be treated as inclusive of all taxes.
5. **NIT/NIQ Opening:** The quotation must reach in the office of the undersigned on or before 20/07/2023 at 11:00 A.M.
6. **Right of Acceptance/Rejection:** Right of acceptance and rejection of any quotation in part or full without assigning any reason are reserved with the institution authorities. The number of items to be purchased could be increased or decreased.
7. In case of any dispute the jurisdiction of Hamirpur (HP) Courts shall apply.

1. The price of equipment/items may be quoted in Indian rupees.

R Singh
12/7/23
Executive Engineer
Construction Cell
NIT Hamirpur (HP)

Dated 12/07/23

No. NIT/HMR/C&MS/CB/S-4/ 2023/ 1478-25
Copy to the :-

1. Director for kind information please.
2. Registrar for kind information please.
3. Dean (P&D) for kind information please.
4. Faculty In-charge (C.C.) for getting the advertisement displayed in the institute website.
5. Assistant Engineer (Civil) for information please.
6. Junior Engineer (Civil) for information please.
7. Drawing Branch of Construction Cell.
8. Notice Board.

R Singh
12/7/23
Executive Engineer
Construction Cell
NIT Hamirpur (HP)